

“By FARR, We Make Your Rod Pumps The Best In The Industry!”

MUTH PUMP CATALOG

All “Farr” plungers come equipped as a 4 piece unit ([plunger](#) tube, bottom [connector](#), [rod](#) and [no-go](#)). The bottom connector has a male (pin) thread for your traveling valve cage. The No-go has a female (box) thread for your pull rod.

4140 ANNEALED STEEL PLUNGER PACKAGES

Farr Plunger Units

Part number

Farr's:12512JCG

Farr's:12524JCG

Farr's:12536JCG

Farr's:12548JCG

Farr's:12560JCG

Farr's:12572JCG

Farr's:15012JCG

Farr's:15024JCG

Farr's:15036JCG

Farr's:15048JCG

Farr's:15060JCG

Farr's:15072JCG

Farr's:17512JCG

Farr's:17524JCG

Farr's:17536JCG

Farr's:17548JCG

Farr's:17560JCG

Farr's:17572JCG

Farr's:20012JCG

Farr's:20024JCG

Farr's:20036JCG

Farr's:20048JCG

Farr's:20060JCG

Farr's:20072JCG

Farr's:22524JCG

Farr's:22536JCG

Farr's:22548JCG

Farr's:22560JCG

Farr's:25024JCG

Farr's:25036JCG

Farr's:25048JCG

Farr's:25060JCG

Farr's:27524JCG

Farr's:27536JCG

Farr's:27548JCG

Farr's:27560JCG

Farr's:32536JCG

Farr's:32548JCG

Farr's:37536JCG

Farr's:37548JCG

4140 Spray Metal Plunger Packages

Includes Plunger Body, Connector, Rod & Nogo (All 4140 Annealed)

Description - size, length & fit

1-1/4"x12" JCG Farr Plunger -2

1-1/4" x 24" JCG Farr Plunger -2

1-1/4" x 36" JCG Farr Plunger -2

1-1/4" x 48" JCG Farr Plunger -2

1-1/4" x 60" JCG Farr Plunger -2

1-1/4" x 72" JCG Farr Plunger -2

1-1/2"x12" JCG Farr Plunger -2

1-1/2" x 24" JCG Farr Plunger -2

1-1/2" x 36" JCG Farr Plunger -2

1-1/2" x 48" JCG Farr Plunger -2

1-1/2" x 60" JCG Farr Plunger -2

1-1/2" x 72" JCG Farr Plunger -2

1-3/4"x12" JCG Farr Plunger -2

1-3/4" x 24" JCG Farr Plunger -2

1-3/4" x 36" JCG Farr Plunger -2

1-3/4" x 48" JCG Farr Plunger -2

1-3/4" x 60" JCG Farr Plunger -2

1-3/4" x 72" JCG Farr Plunger -2

2"x12" JCG Farr Plunger -2

2" x 24" JCG Farr Plunger -2

2" x 36" JCG Farr Plunger -2

2" x 48" JCG Farr Plunger -2

2" x 60" JCG Farr Plunger -2

2" x 72" JCG Farr Plunger -2

2-1/4" x 24" JCG Farr Plunger -2

2-1/4" x 36" JCG Farr Plunger -2

2-1/4" x 48" JCG Farr Plunger -2

2-1/4" x 60" JCG Farr Plunger -2

2-1/2" x 24" JCG Farr Plunger -2

2-1/2" x 36" JCG Farr Plunger -2

2-1/2" x 48" JCG Farr Plunger -2

2-1/2" x 60" JCG Farr Plunger -2

2-3/4" x 24" JCG Farr Plunger -2

2-3/4" x 36" JCG Farr Plunger -2

2-3/4" x 48" JCG Farr Plunger -2

2-3/4" x 60" JCG Farr Plunger -2

3-1/4" x 36" JCG Farr Plunger -2

3-1/4" x 48" JCG Farr Plunger -2

3-3/4" x 36" JCG Farr Plunger -2

3-3/4" x 48" JCG Farr Plunger -2



**WE RECOMMEND -5 FIT FOR WELLS WITH
STEAM INJECTION OR HIGH TEMPERATURES**

STAINLESS STEEL PLUNGER PACKAGES

Farr Plunger Units

Part number

| | |
|-------------------------|--|
| Farr's:12512JCG (304SS) | 1-1/4"x12" JCG (304SS) Farr Plunger -2 |
| Farr's:12524JCG (304SS) | 1-1/4" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:12536JCG (304SS) | 1-1/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:12548JCG (304SS) | 1-1/4" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:12560JCG (304SS) | 1-1/4" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:12572JCG (304SS) | 1-1/4" x 72" JCG (304SS) Farr Plunger -2 |
| Farr's:15012JCG (304SS) | 1-1/2"x12" JCG (304SS) Farr Plunger -2 |
| Farr's:15024JCG (304SS) | 1-1/2" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:15036JCG (304SS) | 1-1/2" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:15048JCG (304SS) | 1-1/2" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:15060JCG (304SS) | 1-1/2" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:15072JCG (304SS) | 1-1/2" x 72" JCG (304SS) Farr Plunger -2 |
| Farr's:17512JCG (304SS) | 1-3/4"x12" JCG (304SS) Farr Plunger -2 |
| Farr's:17524JCG (304SS) | 1-3/4" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:17536JCG (304SS) | 1-3/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:17548JCG (304SS) | 1-3/4" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:17560JCG (304SS) | 1-3/4" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:17572JCG (304SS) | 1-3/4" x 72" JCG (304SS) Farr Plunger -2 |
| Farr's:20012JCG (304SS) | 2"x12" JCG (304SS) Farr Plunger -2 |
| Farr's:20024JCG (304SS) | 2" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:20036JCG (304SS) | 2" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:20048JCG (304SS) | 2" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:20060JCG (304SS) | 2" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:20072JCG (304SS) | 2" x 72" JCG (304SS) Farr Plunger -2 |
| Farr's:22524JCG (304SS) | 2-1/4" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:22536JCG (304SS) | 2-1/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:22548JCG (304SS) | 2-1/4" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:22560JCG (304SS) | 2-1/4" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:25024JCG (304SS) | 2-1/2" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:25036JCG (304SS) | 2-1/2" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:25048JCG (304SS) | 2-1/2" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:25060JCG (304SS) | 2-1/2" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:27524JCG (304SS) | 2-3/4" x 24" JCG (304SS) Farr Plunger -2 |
| Farr's:27536JCG (304SS) | 2-3/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:27548JCG (304SS) | 2-3/4" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:27560JCG (304SS) | 2-3/4" x 60" JCG (304SS) Farr Plunger -2 |
| Farr's:32536JCG (304SS) | 3-1/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:32548JCG (304SS) | 3-1/4" x 48" JCG (304SS) Farr Plunger -2 |
| Farr's:37536JCG (304SS) | 3-3/4" x 36" JCG (304SS) Farr Plunger -2 |
| Farr's:37548JCG (304SS) | 3-3/4" x 48" JCG (304SS) Farr Plunger -2 |

304 Stainless Steel Spray Metal Plunger Packages Includes 304 SS Plunger Body, 17-4 SS Connector & Nogo with 416 SS Rod Description - size, length & fit



STAINLESS STEEL ARE SPECIAL ORDER ALLOW 2-3 WEEKS BEFORE SHIPPING
WE RECOMMEND -5 FIT FOR WELLS WITH
STEAM INJECTION OR HIGH TEMPERATURES

Accessories

Accessories can be purchased separately or if upgrading to stainless steel or monel.

Connecters

4140 Annealed are standard equipment on Plunger Units

Connecters - 4140

Part number

Description - size & material

| | |
|------------------------------|---|
| Connecters - 4140:125Con-Ann | 1-1/4" Farr plunger to rod - Connector (Annealed 4140) |
| Connecters - 4140:150Con-Ann | 1-1/2" Farr plunger to rod - Connector (Annealed 4140) 00 |
| Connecters - 4140:175Con-Ann | 1-3/4" Farr plunger to rod - Connector (annealed 4140) |
| Connecters - 4140:200Con-Ann | 2" Farr plunger to rod - Connector (Annealed 4140) |
| Connecters - 4140:225Con-Ann | 2-1/4" Farr plunger to rod - Connector (Annealed 4140) |
| Connecters - 4140:250Con-Ann | 2-1/2" Farr plunger to rod - Connector (Annealed 4140) |
| Connecters - 4140:275Con-Ann | 2-3/4" Farr plunger to rod - Connector (Annealed 4140) |
| Connecters - 4140:325Con-Ann | 3-1/4" Farr plunger to rod - Connector (Annealed 4140) 5 |
| Connecters - 4140:375Con-Ann | 3-3/4" Farr plunger to rod - Connector (Annealed 4140) |

Connecters - Stainless

Stainless steel is an upgrade.

| | |
|---------------------------------|---|
| Connecters - Stainless:S-125Con | 1-1/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-150Con | 1-1/2" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-175Con | 1-3/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-200Con | 2" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-225Con | 2-1/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-250Con | 2-1/2" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-275Con | 2-3/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-325Con | 3-1/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |
| Connecters - Stainless:S-375Con | 3-3/4" Farr plunger to rod - Connector (17-4, H 1150 Stainless Steel) |

Connecters - Monel

Monel is an upgrade.

| | |
|-----------------------------|--|
| Connecters - Monel:M-125Con | 1-1/4" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-150Con | 1-1/2" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-175Con | 1-3/4" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-200Con | 2" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-225Con | 2-1/4" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-250Con | 2-1/2" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-275Con | 2-3/4" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-325Con | 3-1/4" Farr plunger to rod - Connector (Monel 400) |
| Connecters - Monel:M-375Con | 3-3/4" Farr plunger to rod - Connector (Monel 400) |

Connector - BFT

Bottom Female Threaded is an upgrade. Add this price to Plunger Units price.

| | |
|-----------------------------|---|
| Connector - BFT:BFT-225 Con | 2-1/4" Bottom Female Thread Farr plunger to rod - Connector (Annealed 4140) |
| Connector - BFT:BFT-275 Con | 2-3/4" Bottom Female Thread Farr plunger to rod - Connector (Annealed 4140) |

Rods

Rods are standard equipment on Plunger Units. vr = valve rod. sr = sucker rod

Part number

Description - size & length

Sucker Rods

For big bore tubing pump. Grade: Carbon "D"

| | |
|-----------------|-----------------------|
| Rods:S7/8x24rod | 7/8" x 26" sucker rod |
| Rods:S7/8x36rod | 7/8" x 38" sucker rod |
| Rods:S7/8x48rod | 7/8" x 50" sucker rod |
| Rods:S7/8x60rod | 7/8" x 62" sucker rod |

Valve Rods 11/16

For 1.25" & 1.5" insert pumps. 8620 steel material

| | |
|-------------------|--|
| Rods:V11/16x13rod | 11/16" x 13" valve rod (8620 material) |
| Rods:V11/16x25rod | 11/16" x 25" valve rod (8620 material) |
| Rods:V11/16x37rod | 11/16" x 37" valve rod (8620 material) |
| Rods:V11/16x49rod | 11/16" x 49" valve rod (8620 material) |
| Rods:V11/16x61rod | 11/16" x 61" valve rod (8620 material) |
| Rods:V11/16x73rod | 11/16" x 73" valve rod (8620 material) |

Valve Rods 7/8

For 1.75", 2" & 2.25" insert pumps. 8620 steel material

| | |
|-----------------|--------------------------------------|
| Rods:V7/8x13rod | 7/8" x 13" valve rod (8620 material) |
| Rods:V7/8x25rod | 7/8" x 25" valve rod (8620 material) |
| Rods:V7/8x37rod | 7/8" x 37" valve rod (8620 material) |
| Rods:V7/8x49rod | 7/8" x 49" valve rod (8620 material) |

Rods:V7/8x61rod
Rods:V7/8x73rod

7/8" x 61" valve rod (8620 material)
7/8" x 73" valve rod (8620 material)

Stainless Steel Rods

Standard equipment on Stainless Steel Plunger Units. vr = valve rod. sr = sucker rod

Part number

Description - size & length

Valve Rods 11/16

For 1.25" & 1.5" insert pumps. 8620 steel material

Rods:VS11/16x13rod
Rods:VS11/16x24rod
Rods:VS11/16x36rod
Rods:VS11/16x48rod
Rods:VS11/16x60rod
Rods:VS11/16x72rod

11/16" x 13" valve rod (416 Stainless material)
11/16" x 24" valve rod (416 Stainless material)
11/16" x 36" valve rod (416 Stainless material)
11/16" x 48" valve rod (416 Stainless material)
11/16" x 60" valve rod (416 Stainless material)
11/16" x 72" valve rod (416 Stainless material)

Valve Rods 7/8

For 1.75", 2" & 2.25" insert pumps. 8620 steel material

Rods:VS7/8x12rod
Rods:VS7/8x24rod
Rods:VS7/8x36rod
Rods:VS7/8x48rod
Rods:VS7/8x60rod
Rods:VS7/8x72rod

7/8" x 13" valve rod (8620 material)
7/8" x 25" valve rod (8620 material)
7/8" x 37" valve rod (8620 material)
7/8" x 49" valve rod (8620 material)
7/8" x 61" valve rod (8620 material)
7/8" x 73" valve rod (8620 material)

NoGo's

Nogo-4140ann

4140 annealed NoGo's are standard equipment on Plunger Units. vr = valve rod. sr = sucker rod

Part number

Description - size, shape, threads, OD, length & material.

Nogo-4140ann:125R7/8v
Nogo-4140ann:125S11/16V
Nogo-4140ann:150R11/16v
Nogo-4140ann:150R7/8v
Nogo-4140ann:150S11/16v
Nogo-4140ann:150S7/8v
Nogo-4140ann:175T7/8v
Nogo-4140ann:200R&175R7/8v
Nogo-4140ann:225T3/4srbox
Nogo-4140ann:225T3/4srpin
Nogo-4140ann:250T7/8srbox
Nogo-4140ann:250T7/8srpin
Nogo-4140ann:275T3/4srbox
Nogo-4140ann:275T3/4srpin
Nogo-4140ann:275T7/8srbox
Nogo-4140ann:275T7/8srpin
Nogo-4140ann:325T7/8srbox
Nogo-4140ann:375T7/8srbox

1-1/4" no-go, round with 11/16vr x 7/8vr boxes, 1.100 OD, 4" long (Annealed 4140)
1-1/4" no-go, SQUARE with 11/16vr x 11/16vr boxes, 1.15 OD, 4" long (Annealed 4140)
1-1/2" no-go, round with 11/16vr x 11/16vr boxes, 1.200 OD, 4" long (Annealed 4140)
1-1/2" no-go, round with 11/16vr x 7/8vr boxes, 1.200 OD, 4" long (Annealed 4140)
1-1/2" no-go, SQUARE with 11/16vr x 11/16vr boxes, 1.400 OD, 4" long (Annealed 4140)
1-1/2" no-go, SQUARE with 11/16vr x 7/8vr boxes, 1.400 OD, 4" long (Annealed 4140)
1-3/4" no-go, triangle with 7/8vr x 7/8vr boxes, 1.690 OD, 4" long (Annealed 4140)
1-3/4" & 2" no-go, round with 7/8vr x 7/8vr boxes 1.400 OD, 4" long (Annealed 4140)
2-1/4" no-go, triangle with 7/8" vr box x 3/4" sr box, 2.0" od, 4" long (Annealed 4140)
2-1/4" no-go, triangle with 7/8" vr box x 3/4" sr pin, 2.190" od, 4" long (Annealed 4140)
2-1/2" no-go, triangle with 7/8" sr box x 7/8" sr box 2.25" od, 4" long, (Annealed 4140)
2-1/2" no-go, triangle with 7/8" sr box x 7/8" sr box 2.25" od, 5" long, (Annealed 4140)
2-3/4" no-go, triangle with 7/8" sr box x 3/4" sr box, 2.50" od, 4" long (Annealed 4140)
2-3/4" no-go, triangle with 7/8" sr box x 3/4" sr pin, 2.50" od, 5" long (Annealed 4140)
2-3/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 2.50" od, 4" long (Annealed 4140)
2-3/4" no-go, triangle with 7/8" sr box x 7/8" sr pin, 2.50" od, 5" long (Annealed 4140)
3-1/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 3.00" od, 4" long (Annealed 4140)
3-3/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 3.25" od, 4" long (Annealed 4140)

No-go-Monel

Monel is an upgrade.

Nogo-Monel:M125R11/16v
Nogo-Monel:M125R7/8v
Nogo-Monel:M150R11/16v
Nogo-Monel:M150R7/8v
Nogo-Monel:M200R&175R7/8v

1-1/4" no-go, round with 11/16vr x 11/16vr boxes, 0.950 OD, 4" long (Monel)
1-1/4" no-go, round with 11/16vr x 7/8vr boxes, 1.100 OD, 4" long (Monel)
1-1/2" no-go, round with 11/16vr x 11/16vr boxes, 1.200 OD, 4" long (Monel)
1-1/2" no-go, round with 11/16vr x 7/8vr boxes, 1.200 OD, 4" long (Monel)
2.00" & 1-3/4" no-go, round with 7/8vr x 7/8vr boxes 1.400 OD, 4" long (Monel)

No-go-Stainless

Steel Stainless steel is an upgrade.

No-go-Stainless Steel:S125R11/16v
No-go-Stainless Steel:S125R7/8v
No-go-Stainless Steel:S150R11/16v
No-go-Stainless Steel:S150R7/8v
No-go-Stainless Steel:S200R&175R7/8v
Nogo-Stainless Steel:S225T3/4srbox
Nogo- Stainless Steel:S225T3/4srpin
Nogo- Stainless Steel:S250T7/8srbox
Nogo- Stainless Steel:S250T7/8srpin
Nogo- Stainless Steel:S275T3/4srbox

1-1/4" no-go, round with 11/16vr x 11/16vr boxes, 0.950 OD, 4" long (17-4, H 1150 Stainless Steel)
1-1/4" no-go, round with 11/16vr x 7/8vr boxes, 1.100 OD, 4" long (17-4, H 1150 Stainless Steel)
1-1/2" no-go, round with 11/16vr x 11/16vr boxes, 1.200 OD, 4" long (17-4, H 1150 Stainless Steel)
1-1/2" no-go, round with 11/16vr x 7/8vr boxes, 1.200 OD, 4" long (17-4, H 1150 Stainless Steel)
2.00" & 1-3/4" no-go, round with 7/8vr x 7/8vr boxes 1.400 OD, 4" long (17-4, H 1150 Stainless Steel)
2-1/4" no-go, triangle with 7/8" vr box x 3/4" sr box, 2.0" od, 4" long (17-4, H 1150 Stainless Steel)
2-1/4" no-go, triangle with 7/8" vr box x 3/4" sr pin, 2.190" od, 4" long (17-4, H 1150 Stainless Steel)
2-1/2" no-go, triangle with 7/8" sr box x 7/8" sr box 2.25" od, 4" long, (17-4, H 1150 Stainless Steel)
2-1/2" no-go, triangle with 7/8" sr box x 7/8" sr box 2.25" od, 5" long, (17-4, H 1150 Stainless Steel)
2-3/4" no-go, triangle with 7/8" sr box x 3/4" sr box, 2.50" od, 4" long (17-4, H 1150 Stainless Steel)

| | |
|-------------------------------------|---|
| Nogo- Stainless Steel:S275T3/4srpin | 2-3/4" no-go, triangle with 7/8" sr box x 3/4" sr pin, 2.50" od, 5" long (17-4, H 1150 Stainless Steel) |
| Nogo- Stainless Steel:S275T7/8srbox | 2-3/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 2.50" od, 4" long (17-4, H 1150 Stainless Steel) |
| Nogo- Stainless Steel:S275T7/8srpin | 2-3/4" no-go, triangle with 7/8" sr box x 7/8" sr pin, 2.50" od, 5" long (17-4, H 1150 Stainless Steel) |
| Nogo- Stainless Steel:S325T7/8srbox | 3-1/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 3.00" od, 4" long (17-4, H 1150 Stainless Steel) |
| Nogo- Stainless Steel:S375T7/8srbox | 3-3/4" no-go, triangle with 7/8" sr box x 7/8" sr box, 3.25" od, 4" long (17-4, H 1150 Stainless Steel) |

FARR On-Tools

On-Tools

On-Tools are for tubing pumps used to connect plunger to rods, and are an upgrade. Add this price to Plunger Units price.

OnTools:3/4SR OnTool
OnTools:7/8SR OnTool

Use for 2-3/8" Tubing with 3/4" Sucker Rod Pin Connection. 1.812" OD (Annealed 4140)
Use for 2-7/8" Tubing with 7/8" Sucker Rod Pin Connection. 2.312" OD (Annealed 4140)

FARR Tapered Seat Plugs

Tapered Seat Plugs are for insert pumps to hold in the traveling valve seat and to give the bottom of the cage an inward taper at the bottom of the plunger unit just like at the top of the Farr plunger.

Seat Plugs

Seat plugs an upgrade.

Part number

Description - size, shape & material.

| | |
|------------------|---|
| Seat Plugs:SP125 | 1-1/4" Seat plug, internal taper & hex (for make up). 316 Stainless Steel with 50 RC spray metal on OD. |
| Seat Plugs:SP150 | 1-1/2" Seat plug, internal taper & hex (for make up). 316 Stainless Steel with 50 RC spray metal on OD. |
| Seat Plugs:SP175 | 1-3/4" Seat plug, internal taper & hex (for make up). 316 Stainless Steel with 50 RC spray metal on OD. |
| Seat Plugs:SP200 | 2" Seat plug, internal taper & hex (for make up). 316 Stainless Steel with 50 RC spray metal on OD..... |

FARR Wipers

Wipers are designed to give the plunger unit a 100% seal off between the plunger and pump barrel wall on insert pumps when pumping flour (powder) sand or coal fines.

Wipers: Housings 4140 annealed

Farr Wipers are an upgrade.

Part number

Description - size, shape & material.

| | |
|----------------------------|---|
| Wipers:Housings:125housing | 1-1/4" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:150housing | 1-1/2" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:175housing | 1-3/4" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:200housing | 2" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:225housing | 2-1/4" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:275housing | 2-3/4" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:325housing | 3-1/4" Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:375housing | 3-3/4" Wiper Housing, 6 groove, pin x box |

Wipers: Housings Stainless Steel

| | |
|-------------------------|---|
| Wipers:Housings:125 SSH | 1-1/4" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:150 SSH | 1-1/2" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:175 SSH | 1-3/4" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:200 SSH | 2" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:225 SSH | 2-1/4" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:275 SSH | 2-3/4" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:325 SSH | 3-1/4" Stainless Wiper Housing, 6 groove, pin x box |
| Wipers:Housings:325 SSH | 3-3/4" Stainless Wiper Housing, 6 groove, pin x box |

Wipers: Rings

FARR Wiper Rings are designed to operate in temperatures up to 400° F and are highly resistant to abrasion and oilfield chemicals.

| | |
|----------------------|--------------------|
| Wipers:Rings:125ring | 1-1/4" Wiper Rings |
| Wipers:Rings:150ring | 1-1/2" Wiper Rings |
| Wipers:Rings:175ring | 1-3/4" Wiper Rings |
| Wipers:Rings:200ring | 2" Wiper Rings |
| Wipers:Rings:225ring | 2-1/4" Wiper Rings |
| Wipers:Rings:250ring | 2-1/2" Wiper Rings |
| Wipers:Rings:275ring | 2-3/4" Wiper Rings |
| Wipers:Rings:325ring | 3-1/4" Wiper Rings |
| Wipers:Rings:350ring | 3-1/2" Wiper Rings |
| Wipers:Rings:375ring | 3-3/4" Wiper Rings |

US PAT#6,543,543 B2
Canada Pat#2,201,497
Indonesia Pat#0-017-803
Venezuela Pat#58.883
Other Worldwide Patents Pending